

**THE CANADIAN ENTOMOLOGIST**

Index to Volume 116 (1984)

**SUPPLEMENTS AND MEMOIRS**



**THE ENTOMOLOGICAL SOCIETY OF CANADA, OTTAWA**

- Alfaro, R.I., Borden, J.H., Harris, L.J., Nijholt, W.W., and McMullen, L.H. Pine oil, a feeding deterrent for the white pine weevil, *Pissodes strobi* (Coleoptera: Curculionidae), 41.
- Allyson, S. Description of last-instar larvae of 22 species of North American Spilomelini (Lepidoptera: Pyralidae: Pyraustinae) with a key to species, 1301.
- Anderson, R.S. *Connatichela artemisiae*, a new genus and species of weevil from the Yukon Territory (Coleoptera: Curculionidae: Leptopiinae): taxonomy, paleontology, and biogeography, 1571.
- Ayre, G.L. See Struble, D.L., 103.
- Bailey, B.K. See Steck, W.F., 619.
- Baker, G.T. and Wighton, D.C. Fossil aquatic oribatid mites (Acari: Oribatida: Hydrozetidae: Hydrozetes) from the Paleocene of south-central Alberta, Canada, 773.
- Barron, J.R. and Bisdee, H.E. Hymenopterous parasites with lepidopterous and sawfly hosts on *Lonicera* (Honeysuckle) in the Ottawa area, 1345.
- Bartels, P.H. See Sahota, R.S., 481.
- Baumgaertner, J.U. See Gutierrez, A.P., 923.
- Baxter, J.A. See Loo-Sar Chia, 801.
- Behan-Pelletier, V.M. *Ceratozetes* (Acari: Ceratozetidae) of Canada and Alaska, 1449.
- Bellows, T.S., Jr., Owens, J.C., and Huddleston, E.W. Flight activity and dispersal of range caterpillar moths, *Hemileuca oliviae* (Lepidoptera: Saturniidae), 247.
- Benjamin, D.M. See Rauf, A., 1213, 1219.
- Bennett, G.F. See Finney, J.R., 285.
- Berisford, C.W. See Hanula, J.L., 1251.
- Berryman, A.A. See Wright, L.C., 293.
- Bilodeau, R.J. See Turnock, W.J., 257.
- Bisdee, H.E. See Barron, J.R., 1345.
- Binns, M.R. See Bostanian, N.J., 663.
- Blaine, W.D. and McEwen, F.L. Nutrition of the onion maggot, *Delia antiqua* (Diptera: Anthomyiidae), 473.
- Borden, J.H. See Alfaro, R.I., 41; Miller, G.E., 607; Whitney, H.S., 1419.
- Bostanian, N.J., Dondale, C.D., Binns, M.R., and Pitre, D. Effects of pesticide use on spiders (Araneae) in Quebec apple orchards, 663.
- Bousquet, Y. The subgenus *Steropus* Dejean (Coleoptera: Carabidae: Pterostichus): adult and larval character states, with notes on taxonomic limits and relationships, 1611.  
See Landry, J-F., 1557.
- Bousquet, Y., Smetana, A., and Maddison, D.R. *Trechus quadristriatus*, a Palearctic species introduced into North America (Coleoptera: Carabidae), 215.
- Bracken, G.K. Within plant preferences of larvae of *Mamestra configurata* (Lepidoptera: Noctuidae) feeding on oilseed rape, 45.
- Bracken, G.K. and Bucher, G.E. Measuring the cost-benefit of control measures for bertha armyworm (Lepidoptera: Noctuidae) infestations in rapeseed, 591.
- Bristow, C.M. Spatial segregation between *Aphis vernoniae* (Aphididae) and *Publilia reticulata* (Membracidae), two species of colonial Homoptera on New York ironweed, 855.
- Brittain, J.E. and Mutch, R.A. The effect of water temperature on the egg incubation period of *Mesocapnia oenone* (Plecoptera) from the Canadian Rocky Mountains, 549.
- Bucher, G.E. See Bracken, G.K., 591.
- Burger, J.F. See Pistrang, L.A., 975.
- Burgess, L. Changes in relative abundance of the flea beetles *Phyllotreta striolata* and *Phyllotreta cruciferae* (Coleoptera: Chrysomelidae) in Saskatchewan parkland with increasing distance from the boreal forest, 653.
- Byers, J.R. See Struble, D.L., 103.
- Byers, J.R., Roth, B.T., Thomson, R.D., and Topinka, A.K. Contamination of mustard and canola seed by frass of painted lady caterpillars, *Vanessa cardui* (Lepidoptera: Nymphalidae), 1431.
- Cameron, E.A. See Loerch, C.R., 147.
- Campbell, C.J. See Vakenti, J.M., 69.
- Campbell, J.M. A revision of the North American Omaliinae (Coleoptera: Staphylinidae). The genera *Arpedium* Erichson and *Eucnecosum* Reitter, 487.  
A review of the North American species of the omaliine genera *Porrhodites* Kraatz and *Orochares* Kraatz (Coleoptera: Staphylinidae), 1227.
- Campbell, R.W. See Youngs, L.C., 1665.
- Campbell, R.W., Torgersen, T.R., and Srivastava, N. Number and size of eggs in egg masses of the western spruce budworm (Lepidoptera: Tortricidae), 657.
- Cecich, R.A. See Rauf, A., 1213, 1219.
- Chauvin, R.L. See Tamaki, G., 197.
- Cheng, H.H. Residual toxicity of six pyrethroid and two organophosphorous insecticides on soil surface against dark-sided cutworm (Lepidoptera: Noctuidae) on tobacco in Ontario, 11.
- Chorney, R.J. See Shepherd, R.F., 1041, 1533.
- Chow, F.J. and Mackauer, M. Inter- and intraspecific larval competition in *Aphidius smithi* and *Praon peucedorum* (Hymenoptera: Aphididae), 1097.

- Cloutier, C. The effect of host density on egg distribution by the solitary parasitoid *Aphidius nigripes* (Hymenoptera: Aphidiidae), 805.
- Cohen, A.C. and Patana, R. Efficiency of food utilization by *Heliothis zea* (Lepidoptera: Noctuidae) fed artificial diets or green beans, 139.
- Colbo, M.H. and O'Brien, H. A pilot black fly (Diptera: Simuliidae) control program using *Bacillus thuringiensis* var. *israelensis* in Newfoundland, 1085.
- Cornell, J.A. See Haack, R.A., 625.
- Cornell, J.A. and Wilson, L.F. Dispersion and seasonal activity of the pales weevil, *Hylobius pales* (Coleoptera: Curculionidae), in Michigan Christmas tree plantations, 711.
- Courtemanch, D.L. See Gibbs, K.E., 203.
- Cunningham, J.C. See Shepherd, R.F., 1533.
- Daigle, J.-Y. See Maltais, P., 781.
- Dang, P.T. A new species of *Cochylis* Treitschke (Lepidoptera: Cochylidae) from Saskatchewan, 253.
- Dimond, J.B. See Fast, P.G., 131.
- Dolan, D.D. See Fiori, B.J., 1275.
- Dondale, C.D. See Reeves, R.M., 221; Bostanian, N.J., 663.
- Downe, A.E.R. See Houseman, J.G., 1393.
- Drolet, J. and McNeill, J.N. Performance of the alfalfa blotch leafminer, *Agromyza frontella* (Diptera: Agromyzidae), on four alfalfa varieties, 795.
- Eastman, C.E. See Sherrod, D.W., 159.
- Eldt, D.C. and Weaver, C.A. Influence of site and fenitrothion contamination on vertical distribution of drift arthropods in a woodland stream, 1425.
- Ellis, C.R. Injury by *Empoasca fabae* (Homoptera: Cicadellidae) to peanuts in southwestern Ontario, 1671.
- Evans, W.G. Odor-mediated responses of *Bembidion obtusidens* (Coleoptera: Carabidae) in a wind tunnel, 1653.
- Ewen, A.B. See Mukerji, M.K., 5.
- Ewen, A.B., Mukerji, M.K., and Hinks, C.F. Effect of temperature on the toxicity of cypermethrin to nymphs of the migratory grasshopper, *Melanoplus sanguinipes* (Orthoptera: Acrididae), 1153.
- Fasoranti, J.O. The life history and habits of a *Ceanothus* leaf miner, *Tischeria immaculata* (Lepidoptera: Tischeriidae), 1441.
- Fast, P.G. and Dimond, J.B. Susceptibility of larval instars of spruce budworm, *Choristoneura fumiferana* (Lepidoptera: Tortricidae), to *Bacillus thuringiensis*, 131.
- Fast, P.G. and Régnière, J. Effect of exposure time to *Bacillus thuringiensis* on mortality and recovery of the spruce budworm (Lepidoptera: Tortricidae), 123.
- Fields, P.G. and McNeill, J.N. The overwintering potential of true armyworm, *Pseudaletia unipuncta* (Lepidoptera: Noctuidae), populations in Quebec, 1647.
- Finney, J.R. and Bennett, G.F. Susceptibility of early instars of spruce budworm (Lepidoptera: Tortricidae) to *Heterorhabditis heliothidis* (Nematoda: Rhabditidae), 285.
- Fiori, B.J. and Dolan, D.D. Resistance of *Betula davurica* to the birch leafminer, *Fenusa pusilla* (Hymenoptera: Tenthredinidae), 1275.
- Fischer, J.M. See Foster, R.N., 1149.
- Fleming, R.A., Shoemaker, C.A., and Stedinger, J.R. An assessment of the impact of large scale spraying operations on the regional dynamics of spruce budworm (Lepidoptera: Tortricidae) populations, 633.
- Flinn, P.W. and Hower, A.A. Effects of density, stage, and sex of the potato leafhopper, *Empoasca fabae* (Homoptera: Cicadellidae), on seedling alfalfa growth, 1543.
- Foltz, J.L. See Haack, R.A., 625.
- Foott, W.H. and Timmins, P.R. Occurrence of the pecan weevil, *Curculio caryae* (Coleoptera: Curculionidae), in Persian walnut, *Juglans regia*, 107.
- Foster, R.N., Reuter, K.C., Kinzer, J.G., and Fischer, J.M. Manner of pickup of acephate by *Melanoplus occidentalis* (Orthoptera: Acrididae) from aerially sprayed rangeland, 1149.
- Frank, J.H. and Thomas, M.C. *Cubanotyphlus largo*, a new species of Leptotyphlinae (Coleoptera: Staphylinidae) from Florida, 1411.
- Frazer, B.D. See Raworth, D.A., 861, 879.
- Frazer, B.D. and Raworth, D.A. Predicting the time of hatch of the strawberry aphid, *Chaetosiphon fragaefolii* (Homoptera: Aphididae), 1131.
- Fuller, M. See Neilson, W.T.A., 113.
- Gates, M.A. See Martin, I.D., 1591.
- Gaudet, M.D. and Schulz, J.T. Association between a sunflower fungal pathogen, *Phoma macdonaldii*, and a stem weevil, *Apion occidentale* (Coleoptera: Curculionidae), 1267.
- Gaunce, A.P. See Madsen, H.F., 1659.
- Gerber, G.H. Effects of starvation in the first instar larva on growth, development and survival in the red turnip beetle, *Entomoscelis americana* (Coleoptera: Chrysomelidae), 529.
- Influence of date of oviposition on egg hatching and embryo survival in the red turnip beetle, *Entomoscelis americana* (Coleoptera: Chrysomelidae), 645.

- Native host plants of the larvae of the red turnip beetle, *Entomoscelis americana* (Coleoptera: Chrysomelidae), 1281.
- Gerber, G.H. and Sabourin, D.U. Oviposition site selection in *Tenebrio molitor* (Coleoptera: Tenebrionidae), 27.
- Gibbs, K.E., Mingo, T.M., and Courtemanch, D.L. Persistence of carbaryl (Sevin-4-oil®) in woodland ponds and its effects on pond macroinvertebrates following forest spraying, 203.
- Gilbert, N. See Raworth, D.A., 861, 879.
- Gill, B. See Howden, H.F., 1637.
- Gillespie, D.R., King, G.G.S., Salas-Reyes, V.A., and Slessor, K.N. Determination of the sex pheromone components of *Cheimophila salicella* (Lepidoptera: Oecophoridae), a pest of blueberry in British Columbia, 1397.
- Gordon, P.L. and McEwen, F.L. Insecticide-stimulated reproduction of *Myzus persicae*, the green peach aphid (Homoptera: Aphididae), 783.
- Granett, J. See Robertson, J.L., 1063.
- Grant, G.G. See Gray, T.G., 51, 1525; Scott, C.D., 1007; Robertson, J.L., 1063.
- Gray, T.G., Slessor, K.N., Grant, G.G., Shepherd, R.F., Holsten, E.H., and Tracey, A.S. Identification and field testing of pheromone components of *Choristoneura orae* (Lepidoptera: Tortricidae), 51.
- Gray, T.G., Slessor, K.N., Shepherd, R.F., Grant, G.G., and Manville, J.F. European pine shoot moth, *Rhyacionia buoliana* (Lepidoptera: Tortricidae): identification of additional pheromone components resulting in an improved lure, 1525.
- Gunderman, M.W. See Rollo, C.D., 785.
- Gutierrez, A.P., Baumgaertner, J.U., and Summers, C.G. Multitrophic models of predator-prey energetics, 923.
- Haack, R.A., Wilkinson, R.C., Foltz, J.L., and Cornell, J.A. Gallery construction and oviposition by *Ips calligraphus* (Coleoptera: Scolytidae) in relation to slash pine phloem thickness and temperature, 625.
- Hadam, J.J. See Reeves, R.M., 221.
- Hagley, E.A.C. See Holliday, N.J., 165.
- Haissig, K. See Reardon, R.C., 153.
- Halverson, T.G. Autecology of two *Aeshna* species (Odonata) in western Virginia, 567.
- Hansen, R.W. and Osgood, E.A. Effects of a split application of Sevin-4-oil® on pollinators and fruit set in a spruce-fir forest, 457.
- Hanula, J.L. and Berisford, C.W. Seasonal flight activity of the smaller European elm bark beetle, *Scolytus multistriatus* (Coleoptera: Scolytidae), and associates in Georgia, 1251.
- Hardman, J.M. See Holmberg, R.G., 597.
- Harris, J.W.E. See Thomson, A.J., 375.
- Harris, L.J. See Alfaro, R.L., 41.
- Heath, R. See Teal, P.E.A., 777.
- Henry, J.E. See Streett, D.A., 1439.
- Heraty, J.M. See Laing, J.E., 1123.
- Herbert, H.J., Smith, R.F., and McRae, K.B. Evaluation of non-insecticidal methods to reduce damage to chrysanthemums by the leafminer *Liriomyza trifolii* (Diptera: Agromyzidae), 1259.
- Hinks, C.F. See Ewen, A.B., 1153.
- Hokkanen, H. and Pimentel, D. New approach for selecting biological control agents, 1109.
- Holliday, N.J. Carabid beetles (Coleoptera: Carabidae) from a burned spruce forest (*Picea* spp.), 919.
- Holliday, N.J. and Hagley, E.A.C. The effect of sod type on the occurrence of ground beetles (Coleoptera: Carabidae) in a pest management apple orchard, 165.
- Holmberg, R.G. and Hardman, J.M. Relating feeding rates to sex and size in six species of grasshoppers (Orthoptera: Acrididae), 597.
- Holmes, N.D. The effect of light on the resistance of hard red spring wheats to the wheat stem sawfly, *Cephus cinctus* (Hymenoptera: Cephidae), 677.
- Holsten, E.H. See Gray, T.G., 51; Werner, R.A., 465.
- Houseman, J.G., MacNaughton, W.K., and Downe, A.E.R. Cathepsin B and aminopeptidase activity in the posterior midgut of *Euschistus euschistoides* (Hemiptera: Pentatomidae), 1393.
- Houseweart, M.W., Jennings, D.T. and Lawrence, R.K. Field releases of *Trichogramma minutum* (Hymenoptera: Trichogrammatidae) for suppression of epidemic spruce budworm, *Choristoneura fumiferana* (Lepidoptera: Tortricidae), egg populations in Maine, 1357.
- Howden, H.F. and Gill, B. Two new species of *Neothyreus* Howden and Martínez from Costa Rica with distribution notes on other Athyreini from Mexico and Central America (Coleoptera: Geotrupinae), 1637.
- Hower, A.A. See Flinn, P.W., 1543.
- Huddleston, E.W. See Bellows, T.S., 247.
- Jennings, D.T. See Houseweart, M.W., 1357.
- Jones, V.P. and Parrella, M.P. The sublethal effects of selected insecticides on life table parameters of *Panonychus citri* (Acari: Tetranychidae), 1033.
- Kambhampati, S. See Mackauer, M., 1605.

- Kaushik, N.K.** See Rodrigues, C.S., 75, 451.
- Kevan, D.K.McE.** See Nosek, J., 19.
- King, G.G.S.** See Scott, C.D., 1007; Gillespie, D.R., 1397.
- Kinzer, J.G.** See Foster, R.N., 1149.
- Knizskil, H.M., Jr. and Sullivan, D.J., S.J.** Temporal distribution of crane flies (Diptera: Tipulidae) in a southern New York woodland, 1137.
- Knowlton, A.D.** See Neilson, W.T.A., 113.
- Lafontaine, J.D.** See Tshistjakov, Y.A., 1549.
- Laing, J.E. and Heraty, J.M.** The use of degree-days to predict emergence of the apple maggot, *Rhagoletis pomonella* (Diptera: Tephritidae), in Ontario, 1123.
- Lalonde, R.G.** See Shorthouse, J.D., 1335.
- Lamb, R.J.** Effects of flea beetles, *Phyllotreta* spp. (Chrysomelidae: Coleoptera), on the survival, growth, seed yield, and quality of canola, rape and yellow mustard, 269.
- Landry, J-F. and Bousquet, Y.** The genus *Omophron* Latreille (Coleoptera: Carabidae): redescription of the larval stage and phylogenetic considerations, 1557.
- Lanier, G.N.** See Rabaglia, R.J., 1025.
- Lavery, T.M., Plowright, R.C., and Williams, P.H.** *Digressobombus*, a new subgenus with a description of the male of *Bombus digressus* (Hymenoptera: Apidae), 1051.
- Lawrence, R.K.** See Houseweart, M.W., 1357.
- Lechowicz, M.J.** See Mauffette, Y., 685.
- LeSage, L.** The larva of *Anaquedius vernix* (Coleoptera: Staphylinidae), 189.
- Immature stages of Canadian *Neochlamisus* Karren (Coleoptera: Chrysomelidae), 383.
- Egg, larva, and pupa of *Lexiphanes saponatus* (Coleoptera: Chrysomelidae: Cryptocephalinae), 537.
- Liebholt, A.M.** See Volney, W.J.A., 813.
- Liebholt, A.M. and Volney, W.J.A.** Effect of temporal factors on reproductive isolation between *Choristoneura occidentalis* and *C. retiniana* (Lepidoptera: Tortricidae), 991.
- Liebholt, A.M., Volney, W.J.A., and Waters, W.E.** Evaluation of cross-attraction between sympatric *Choristoneura occidentalis* and *C. retiniana* (Lepidoptera: Tortricidae) populations in south-central Oregon, 827.
- Liu, H.J.** See McEwen, F.L., 119.
- Loan, C.** See Wylie, H.G., 235.
- Loerch, C.R. and Cameron, E.A.** Within-tree distributions and seasonality of immature stages of the bronze birch borer, *Agrilus anxius* (Coleoptera: Buprestidae), 147.
- Loo-Sar Chia, Baxter, J.A., and Morrison, P.E.** Reduction in the nutritional requirements for oögenesis due to high concentrations of cholesterol in the larval diet of the stable fly, *Stomoxys calcitrans* (Diptera: Muscidae), 801.
- Luculic, G.S.** Effect of climatic factors on post-diapause emergence and survival of spruce budworm larvae (Lepidoptera: Tortricidae), 1077.
- Mackauer, M.** See Chow, F.J., 1097.
- Mackauer, M. and Kambhampati, S.** Reproduction and longevity of cabbage aphid, *Brevicoryne brassicae* (Homoptera: Aphididae), parasitized by *Diaeretiella rapae* (Hymenoptera: Aphididae), 1605.
- MacKenzie, K.E. and Winston, M.L.** Diversity and abundance of native bee pollinators on berry crops and natural vegetation in the Lower Fraser Valley, British Columbia, 965.
- MacNaughton, W.K.** See Houseman, J.G., 1393.
- Maddison, D.R.** See Bousquet, Y., 215.
- Madden, L.V.** See Walker, G.P., 1069.
- Madsen, H.F.** See Vakenti, J.M., 69.
- Madsen, H.F., Vakenti, J.M., and Gaunce, A.P.** Distribution and flight activity of obliquebanded and three-lined leafrollers (Lepidoptera: Tortricidae) in the Okanagan and Similkameen valleys of British Columbia, 1659.
- Maier, C.T.** Seasonal development and flight activity of the spotted tentiform leafminer, *Phyllonorycter blancardella* (Lepidoptera: Gracillariidae), in Connecticut, 435.
- Abundance and phenology of parasitoids of the spotted tentiform leafminer, *Phyllonorycter blancardella* (Lepidoptera: Gracillariidae), in Connecticut, 443.
- Maire, A.** Les Tabanidae (Diptera) à la limite septentrionale des forêts (domaine maritime du Nouveau-Québec), 227.
- Les taons (Diptera: Tabanidae) d'une tourbière à paises située à la limite des forêts (Nouveau-Québec), 1679.
- Maltais, P. and Daigle, J-Y.** Première mention d'*Aedes implicatus* et d'*Aedes diantaeus* (Diptera: Culicidae) au Nouveau-Brunswick, 781.
- Mantey, K.D.** See Tamaki, G., 197; Moffitt, H.R., 1057.
- Manville, J.F.** See Gray, T.G., 1525.
- Marrone, P.G. and Stinner, R.E.** Influence of soil physical factors on survival and development of the larvae and pupae of the bean leaf beetle, *Cerotoma trifurcata* (Coleoptera: Chrysomelidae), 1015.
- Martin, I.D. and Gates, M.A.** Patterns of morphological and reproductive variation in *Stenonema* mayflies (Ephemeroptera: Heptageniidae) in eastern Lake Huron, 1591.

- Mason, R.R., Wickman, B.E., and Paul, H.G. Effect of ash from Mount St. Helens on survival of neonate larvae of the Douglas-fir tussock moth (Lepidoptera: Lymantriidae), 1145.
- Mason, T.L. and Ticehurst, M. Predation of *Cryptorhopalum ruficorne* (Coleoptera: Dermestidae) on egg masses of the gypsy moth, *Lymantria dispar* (Lepidoptera: Lymantriidae), 1675.
- Mason, W.R.M. Structure and movement of the abdomen of female *Pelecinus polyturator* (Hymenoptera: Peleciniidae), 419.
- Mauffette, Y. and Lechowicz, M.J. Differences in the utilization of three species as larval hosts and pupation sites by the gypsy moth, *Lymantria dispar* (Lepidoptera: Lymantriidae), 685.
- McEwen, F.L. See Blaine, W.D., 473; Gordon, P.L., 783.
- McEwen, F.L., Ritcey, G., and Liu, H.J. Laboratory studies of radiation-induced sterility on the onion maggot, *Delia antiqua* (Diptera: Anthomyiidae), 119.
- McFarlane, S. See Raworth, D.A., 879.
- McLaughlin, J.R. See Teal, P.E.A., 777.
- McMullen, L.H. See Alfaro, R.I., 41.
- McNamara, J. A catalogue of types of Coleoptera in the Canadian National Collection of Insects, supplement II, 725.
- McNeil, J.N. See Drolet, J., 795; Quiring, D.T., 1385; Fields, P.G., 1647.
- McPherson, J.E. See Weber, B.C., 281.
- McRae, K.B. See Herbert, H.J., 1259.
- Miller, G.E. and Borden, J.H. Reproductive behaviour of the Douglas-fir cone gall midge, *Contarinia oregonensis* (Diptera: Cecidomyiidae), 607.
- Mingo, T.M. See Gibbs, K.E., 203.
- Moffitt, H.R. See Tamaki, G., 197.
- Moffitt, H.R., Mantey, K.D., and Tamaki, G. Effects of residues of chitin-synthesis inhibitors on egg hatch and subsequent larval entry of the codling moth, *Cydia pomonella* (Lepidoptera: Olethreutidae), 1057.
- Morris, O.N. Comparative efficacies of single and double applications of commercial *Bacillus thuringiensis* against the spruce budworm, *Choristoneura fumiferana*, in balsam fir stands, 101.
- Field response of the spruce budworm, *Choristoneura fumiferana* (Lepidoptera: Tortricidae), to dosage and volume rates of commercial *Bacillus thuringiensis*, 983.
- Morrison, P.E. See Loo-Sar Chia, 801.
- Mukerji, M.K. See Ewen, A.B., 1153.
- Mukerji, M.K. and Ewen, A.B. Field evaluation of cypermethrin and carbaryl as sprays and baits for grasshopper (Orthoptera: Acrididae) control in Saskatchewan, 5.
- Mutch, R.A. See Brittain, J.E., 549.
- Muzzio, S.F. A preliminary annotated list of the Collembola of Santa Cruz County, California, 183.
- Neil, K.A. *Noctua comes*, a noctuid new to North America (Lepidoptera: Noctuidae: Noctuinae), 479.
- Neilson, W.T.A., Knowlton, A.D., and Fuller, M. Capture of blueberry maggot adults, *Rhagoletis mendax* (Diptera: Tephritidae), on Pherocon® AM traps and on tartar red dark sticky spheres in lowbush blueberry fields, 113.
- Nijholt, W.W. See Alfaro, R.I., 41.
- Nosek, J. and Kevan, D.K.McE. New species of *Eosentomon* Berlese, 1909 (Protura: Eosentomidae) from Quebec and Vermont, 19.
- O'Brien, H. See Colbo, M.H., 1085.
- O'Day, D.H. See Sakaluk, S.K., 1585.
- Oliver, D.R. Description of a new species of *Cricotopus* van der Wulp (Diptera: Chironomidae) associated with *Myriophyllum spicatum*, 1287.
- Osgood, E.A. See Hansen, R.W., 457.
- Otvoš, I.S. See Shepherd, R.F., 1041, 1533.
- Owens, J.C. See Bellows, T.S., 247.
- Parrella, M.P. See Jones, V.P., 1033.
- Parrella, M.P. Effect of temperature on oviposition, feeding, and longevity of *Liriomyza trifolii* (Diptera: Agromyzidae), 85.
- Parrott, R.E. and Schmid, F. Two subspecies of *Troides* species from Natuna Islands, Indonesia (Lepidoptera: Papilionidae), 841.
- A new subspecies of *Ornithoptera croesus* from Morotai Island, Indonesia, and a gynandromorph of *O. croesus lydius* (Lepidoptera: Papilionidae), 1519.
- Patana, R. See Cohen, A.C., 139.
- Paul, H.G. See Mason, R.R., 1145.
- Peet, F.G. See Sahota, T.S., 481.
- Peschken, D.P. Host range of *Lema cyanella* (Coleoptera: Chrysomelidae), a candidate for biocontrol of Canada thistle, and of four stenophagous foreign thistle insects in North America, 1377.
- Pfadt, R.E. Species richness, density, and diversity of grasshoppers (Orthoptera: Acrididae) in a habitat of the mixed grass prairie, 703.
- Pimentel, D. See Hokkanen, H., 1109.



- Pistrang, L.A. and Burger, J.F.** Effect of *Bacillus thuringiensis* var. *israelensis* on a genetically-defined population of black flies (Diptera: Simuliidae) and associated insects in a montane New Hampshire stream, 975.
- Pitre, D.** See Bostanian, N.J., 663.
- Plowright, R.C.** See Lavery, T.M., 1051.
- Pluthero, F.G. and Singh, R.S.** Insect behavioural responses to toxins: practical and evolutionary considerations, 57.
- Pluthero, F.G. and Threlkeld, S.F.H.** Mutations in *Drosophila melanogaster* affecting physiological and behavioural response to malathion, 411.
- Quiring, D.T. and McNeill, J.N.** Adult-larval intraspecific competition in *Agromyza frontella* (Diptera: Agromyzidae), 1385.
- Rabaglia, R.J. and Lanier, G.N.** Twig feeding by *Scolytus multistriatus* (Coleoptera: Scolytidae): within-tree distribution and use for assessment of mass trapping, 1025.
- Randell, R.** See Sherrod, D.W., 159.
- Rasmussen, J.B.** *Chironomus (Camptochironomus) vockerothi* n. sp. (Diptera: Chironomidae), from Alberta, Canada, 1643.
- Rauf, A., Benjamin, D.M., and Cecich, R.A.** Bionomics of *Platylygus luridus* (Hemiptera: Miridae) in Wisconsin jack pine seed orchards, 1219.
- Rauf, A., Cecich, R.A., and Benjamin, D.M.** Conelet abortion in jack pine caused by *Platylygus luridus* (Hemiptera: Miridae), 1213.
- Raworth, D.A.** Population dynamics of the cabbage aphid, *Brevicoryne brassicae* (Homoptera: Aphididae) at Vancouver, British Columbia. II. Development, fecundity, and longevity, 871. IV. Predation by *Aphidoletes aphidimyza* (Diptera: Cecidomyiidae), 889. V. A simulation model, 895.  
See Frazer, B.D., 1131.
- Raworth, D.A., Frazer, B.D., Gilbert, N., and Wellington, W.G.** Population dynamics of the cabbage aphid, *Brevicoryne brassicae* (Homoptera: Aphididae) at Vancouver, British Columbia. I. Sampling methods and population trends, 861.
- Raworth, D.A., McFarlane, S., Gilbert, N., and Frazer, B.D.** Population dynamics of the cabbage aphid, *Brevicoryne brassicae* (Homoptera: Aphididae) at Vancouver, British Columbia. III. Development, fecundity, and morph determination vs. aphid density and plant quality, 879.
- Reardon, R.C. and Halssig, K.** Efficacy and field persistence of *Bacillus thuringiensis* after ground application to balsam fir and white spruce in Wisconsin, 153.
- Redner, J.H.** See Reeves, R.M., 221.
- Reeves, R.M., Hadam, J.J., Redner, J.H., and Dondale, C.D.** Identity of the North American crab spiders *Xysticus durus* and *X. keyserlingi* (Araneae: Thomisidae), 221.
- Régnière, J.** A method of describing and using variability in development rates for the simulation of insect phenology, 1367.  
See Fast, P.G., 123.
- Retnakaran, A.** See Robertson, J.L., 1063.
- Reuter, K.C.** See Foster, R.N., 1149.
- Richards, K.W.** Comparison of tumblers used to remove debris from cells of the alfalfa leafcutter bee, *Megachile rotundata* (Hymenoptera: Megachilidae), 719.
- Ritcey, G.** See McEwen, F.L., 119.
- Ritchie, A.J.** See Shorthouse, J.D., 1623.
- Ritchie, D.C.** See Whitney, H.S., 1419.
- Robertson, J.L., Smith, K.C., Granett, J., and Retnakaran, A.** Joint action of a juvenile hormone analogue with benzoylphenylureas ingested by western spruce budworm, *Choristoneura occidentalis* (Lepidoptera: Tortricidae), 1063.
- Robinson, A.G.** A key to the genus *Nearctaphis* (Homoptera: Aphididae) in North America, 289.  
Two new species of *Aphis* (Homoptera: Aphididae) from *Holodiscus discolor* in British Columbia and Oregon, 851.
- Rodrigues, G.S. and Kaushik, N.K.** A bioassay apparatus for the evaluation of black fly (Diptera: Simuliidae) larvicides, 75.  
The effect of temperature on the toxicity of temephos to black fly (Diptera: Simuliidae) larvae, 451.
- Rollo, C.D. and Gauderman, M.W.** Variation among individuals and the effect of temperature on food consumption and reproduction in the cockroach, *Periplaneta americana* (Orthoptera: Blattellidae), 785.
- Roth, B.T.** See Byers, J.R., 1431.
- Ruesink, W.G.** See Sherrod, D.W., 159.
- Rush, R.A.** See Teal, P.E.A., 777.
- Sabourin, D.U.** See Gerber, G.H., 27.
- Sahota, T.S., Peet, F.G., and Bartels, P.H.** Progress towards early detection of population quality differences in bark beetles (Coleoptera: Scolytidae), 481.
- Sakaluk, S.K. and O'Day, D.H.** Hoechst staining and quantification of sperm in the spermatophore and spermatheca of the decorated cricket, *Gryllodes supplicans* (Orthoptera: Gryllidae), 1585.

- Salas-Reyes, V.A. See Gillespie, D.R., 1397.
- Sanders, C.J. Sex pheromone of the spruce budworm (Lepidoptera: Tortricidae): evidence for a missing component, 93.
- Schmid, F. See Parrott, R.E., 841, 1519.
- Schowalter, T.D. Dispersal of cone and seed insects to an isolated Douglas-fir tree in western Oregon, 1437.
- Schulz, J.T. See Gaudet, M.D., 1267.
- Scott, C.D., Winston, M.L., Slessor, K.N., King, G.G.S., and Grant, G.G. The biology and pheromone-based monitoring of the driedfruit moth, *Vitula edmandsae serratilineella* (Lepidoptera: Pyralidae), 1007.
- Scudder, G.G.E. The world Rhyparochrominae (Hemiptera: Lygaeidae). XVIII. The genus *Sinierus* Distant, 427.
- Two new genera of Rhyparochrominae (Hemiptera: Lygaeidae) from North America, 1293.
- Sears, M.K. See Smith, D.B., 913.
- Shepherd, R.F. See Gray, T.G., 51, 1525; Thomson, A.J., 375.
- Shepherd, R.F., Otvos, I.S., and Chorney, R.J. Pest management of Douglas-fir tussock moth (Lepidoptera: Lymantriidae): a sequential sampling method to determine egg mass density, 1041.
- Shepherd, R.F., Otvos, I.S., Chorney, R.J., and Cunningham, J.C. Pest management of Douglas-fir tussock moth (Lepidoptera: Lymantriidae): prevention of an outbreak through early treatment with a nuclear polyhedrosis virus by ground and aerial applications, 1533.
- Sherrod, D.W., Eastman, C.E., Ruesink, W.G., and Randell, R. Sampling populations of the imported crucifer weevil, *Baris lepidii* (Coleoptera: Curculionidae), in commercial horseradish, 159.
- Shoemaker, G.A. See Fleming, R.A., 633.
- Shorthouse, J.D. and Lalonde, R.G. Structural damage by *Rhinocyllus conicus* (Coleoptera: Curculionidae) within the flowerheads of nodding thistle, 1335.
- Shorthouse, J.D. and Ritchie, A.J. Description and biology of a new species of *Diptolepis* Fourcroy (Hymenoptera: Cynipidae) inducing galls on the stems of *Rosa acicularis*, 1623.
- Silversides, R.II. See Thomson, A.J., 375.
- Simonet, D.E. See Walker, G.P., 1069.
- Simmons, T.W. and Smith, I.M. Morphology of larvae, deutonymphs, and adults of the water mite *Najadicola ingens* (Prostigmata: Parasitengona: Hygrobatoidae) with remarks on phylogenetic relationships and revision of taxonomic placement of Najadicolinae, 691.
- Singh, R.S. See Pluthero, F.G., 57.
- Slessor, K.N. See Gray, T.G., 51, 1525; Scott, C.D., 1007; Gillespie, D.R., 1397.
- Smetana, A. Revision of the subfamily Sphaeridiinae of America north of Mexico (Coleoptera: Hydrophilidae). Supplementum 2, 555.
- See Bousquet, Y., 215.
- Smith, D.B. and Sears, M.K. Life history of *Plutella porrectella*, a relative of the diamondback moth, *Plutella xylostella* (Lepidoptera: Plutellidae), 913.
- Smith, I.M. Descriptions of new species of *Trisetacus* (Prostigmata: Eriophyoidea) from Pinaceae in western North America, 173.
- Larvae of water mites of some genera of Aturidae (Prostigmata: Hygrobatoidae) in North America with comments on phylogeny and classification of the family, 307.
- Review of species of *Trisetacus* (Acari: Eriophyoidea) from North America, with comments on all nominate taxa in the genus, 1157.
- See Simmons, T.W., 691.
- Smith, K.C. See Robertson, J.L., 1063.
- Smith, R.F. See Herbert, H.J., 1259.
- Srivastava, N. See Campbell, R.W., 657.
- Steck, W.F., Bailey, B.K., and Underhill, E.W. Effects of some semiochemicals on the sex pheromone of the bertha armyworm, *Mamestra configurata* (Lepidoptera: Noctuidae), 619.
- Stedinger, J.R. See Fleming, R.A., 633.
- Stinner, R.E. See Marrone, P.G., 1015.
- Stock, A.J. See Whitney, H.S., 1419.
- Streets, D.A. and Henry, J.E. Epizootiology of a microsporidium in field populations of *Aulocara elliotti* and *Psoloessa delicatula* (Insecta: Orthoptera), 1439.
- Struble, D.L., Ayre, G.L., and Byers, J.R. Minor sex-pheromone components of *Mamestra configurata* (Lepidoptera: Noctuidae) and improved blends for attraction of male moths, 103.
- Sullivan, D.J., S.J. See Knizeski, H.M., Jr., 1137.
- Summers, C.G. See Gutierrez, A.P., 923.
- Tamaki, G. See Moffitt, H.R., 1057.
- Tamaki, G., Chauvin, R.L., Moffitt, H.R., and Mantey, K.D. Diflubenzuron: differential toxicity to larvae of the Colorado potato beetle (Coleoptera: Chrysomelidae) and its internal parasite, *Doryphorophaga doryphorae* (Diptera: Tachinidae), 197.
- Teal, P.E.A., Tumlinson, J.H., McLaughlin, J.R., Heath, R., and Rush, R.A. (Z)-11-Hexadecen-1-ol: a behavioral modifying chemical present in the pheromone gland of female *Heliothis zea* (Lepidoptera: Noctuidae), 777.



- Thomas, M.C. See Frank, J.H., 1411.
- Thomson, A.J., Shepherd, R.F., Harris, J.W.E., and Silversides, R.H. Relating weather to outbreaks of western spruce budworm, *Choristoneura occidentalis* (Lepidoptera: Tortricidae), in British Columbia, 375.
- Thomson, R.D. See Byers, J.R., 1431.
- Threlkeld, S.F.H. See Pluthero, F.G., 411.
- Ticehurst, M. See Mason, T.L., 1675.
- Timmins, P.R. See Foott, W.H., 107.
- Topinka, A.K. See Byers, J.R., 1431.
- Torgersen, T.R. See Campbell, R.W., 657.
- Tracey, A.S. See Gray, T.G., 51.
- Trimble, R.M. Effect of carbohydrate on the fecundity of the spotted tentiform leafminer, *Phyllonorycter blancardella* (Lepidoptera: Gracillariidae), 1433.
- An attractant-baited sticky trap for monitoring the spotted tentiform leafminer, *Phyllonorycter blancardella* (Lepidoptera: Gracillariidae), 1581.
- Tshistjakov, Y.A. and Lafontaine, J.D. A review of the genus *Delia* Dyar (Lepidoptera: Arctiidae) with description of a new species for eastern Siberia and northern Canada, 1549.
- Tumlinson, J.H. See Teal, P.E.A., 777.
- Turnock, W.J. Effects of the stage of development of canola (*Brassica napus*) on the capture of moths in sex attractant traps and on larval density of *Mamestra configurata* (Lepidoptera: Noctuidae), 579.
- Turnock, W.J. and Bilodeau, R.J. Survival of pupae of *Mamestra configurata* (Lepidoptera: Noctuidae) and two of its parasites in untilled and tilled soil, 257.
- Underhill, E.W. See Steck, W.F., 619.
- Vakenti, J.M. See Madsen, H.F., 1659.
- Vakenti, J.M., Campbell, C.J., and Madsen, H.F. A strain of fruittree leafroller, *Archips argyrospilus* (Lepidoptera: Tortricidae), tolerant to azinphos-methyl in an apple orchard region of the Okanagan Valley of British Columbia, 69.
- Volney, W.J.A. See Liebhold, A.M., 827, 991.
- Volney, W.J.A., Liebhold, A.M., and Waters, W.E. Host associations, phenotypic variation, and mating compatibility of *Choristoneura occidentalis* and *C. retiniana* (Lepidoptera: Tortricidae) populations in south-central Oregon, 813.
- Walker, G.P., Madden, L.V., and Simonet, D.E. Spatial dispersion and sequential sampling of the potato aphid, *Macrosiphum euphorbiae* (Homoptera: Aphididae), on processing-tomatoes in Ohio, 1069.
- Waters, W.E. See Volney, W.J.A., 813; Liebhold, A.M., 827.
- Weaver, C.A. See Eidt, D.C., 1425.
- Weber, B.C. and McPherson, J.E. The ambrosia fungus of *Xylosandrus germanus* (Coleoptera: Scolytidae), 281.
- Weis, A.E. Apical dominance asserted over lateral buds by the gall of *Rhabdophaga strobiloides* (Diptera: Cecidomyiidae), 1277.
- Wellington, W.G. See Raworth, D.A., 861.
- Werner, R.A. and Holsten, E.H. Scolytidae associated with felled white spruce in Alaska, 465.
- Weseloh, R.M. Effect of exposing adults of the gypsy moth parasite *Compsilura concinnata* (Diptera: Tachinidae) to hosts on the parasite's subsequent behavior, 79.
- White, N.D.G. Residual activity of organophosphorus and pyrethroid insecticides applied to wheat stored under simulated western Canadian conditions, 1403.
- Whitney, H.S., Ritchie, D.C., Borden, J.H., and Stock, A.J. The fungus *Beauveria bassiana* (Deuteromycotina: Hyphomycetaceae) in the western balsam bark beetle, *Dryocoetes confusus* (Coleoptera: Scolytidae), 1419.
- Wickman, B.E. See Wright, L.C., 293; Mason, R.R., 1145.
- Wighton, D.C. See Baker, G.T., 773.
- Wilkinson, R.C. See Haack, R.A., 625.
- Williams, P.H. See Lavery, T.M., 1051.
- Wilson, L.F. See Corneil, J.A., 711.
- Winston, M.L. See MacKenzie, K.E., 965; Scott, C.D., 1007.
- Wright, L.C., Berryman, A.A., and Wickman, B.E. Abundance of the fir engraver, *Scolytus ventralis*, and the Douglas-fir beetle, *Dendroctonus pseudotsugae*, following tree defoliation by the Douglas-fir tussock moth, *Orgyia pseudotsugata*, 293.
- Wylie, H.G. Oviposition and survival of three Nearctic euphorine braconids in crucifer-infesting flea beetles (Coleoptera: Chrysomelidae), 1.
- Wylie, H.G. and Loan, C. Five Nearctic and one introduced euphorine species (Hymenoptera: Braconidae) that parasitize adults of crucifer-infesting flea beetles (Coleoptera: Chrysomelidae), 235.
- Youngs, L.C. and Campbell, R.W. Ants preying on pupae of the western spruce budworm, *Choristoneura occidentalis* (Lepidoptera: Tortricidae), in eastern Oregon and western Montana, 1665.

## SUPPLEMENTS AND MEMOIRS

- No. 1 of Vol. LXXXVII (mailed 30 March 1955): The comparative internal larval anatomy of sawflies (Hymenoptera: Symphyta) — Doreen E. Maxwell
- No. 1 of Vol. LXXXVIII (mailed 10 December 1956): Revision of the Nearctic species of *Agriotes* (Coleoptera: Elateridae) — Edward C. Becker
- No. 2 of Vol. LXXXVIII (mailed 16 January 1957): Leafhoppers (Homoptera: Cicadellidae) of Canada and Alaska — Bryan P. Beirne
- No. 3 of Vol. LXXXVIII (mailed 2 January 1957): The New World species of *Chrysomela* L. (Coleoptera: Chrysomelidae) — W. J. Brown

NOTE: After this issue the "Supplements" became, in fact, a self-contained series with a continuous numbering system independent of *The Canadian Entomologist*. Nevertheless, they were still issued (with later exceptions) as "Accompanying" volumes of *The Canadian Entomologist*.

Because four Supplements had already been published, the next one was called No. 5 — there is no Supplement No. 4.

- No. 4 — there is no Supplement 4.
- No. 5 (mailed 2 December 1957): The use of larval anatomy in the study of bark beetles (Coleoptera: Scolytidae) — J. B. Thomas
- No. 6 (mailed 8 April 1958): Taxonomy, life history, and habits of the ellipsoid-eyed species of *Schinia* (Lepidoptera: Noctuidae), with notes on the Heliothidinae — David F. Harwick
- No. 7 (mailed 28 April 1958): The Archipinae of North America (Lepidoptera: Tortricidae) — T. N. Freeman
- No. 8 (mailed 12 September 1958): Larvae of the Nearctic Laurentiinae (Lepidoptera: Geometridae) — W. C. McGuffin
- No. 9 (mailed 14 November 1958): Acridoidea of southern Alberta, Saskatchewan, and Manitoba (Orthoptera) — Arthur R. Brooks
- No. 10 (mailed 26 March 1959): Larvae of the North American Olethreutidae (Lepidoptera) — Margaret Rae MacKay
- No. 11 (mailed 26 March 1959): Male genitalia as taxonomic characters in the Miridae (Hemiptera) — Leonard A. Kelton
- No. 12 (mailed 15 June 1959): Phytoseiid mites (Acarina: Phytoseiidae). I. Bionomics of seven species in southeastern England. II. A taxonomic review of the family Phytoseiidae, with descriptions of 38 new species — D. A. Chant
- No. 13 (mailed 14 November 1960): A synopsis of the genus *Rhopalosiphum* in Canada (Homoptera: Aphididae) — W. R. Richards
- No. 14 (mailed 16 March 1961): A revision of the Nearctic species of Fanniinae (Diptera: Muscidae) — J. G. Chillcott
- No. 15 (mailed 1 February 1961): Synopsis of Nearctic Ichneumoninae Stenopneusticae with particular reference to the northeastern region (Hymenoptera). I. Introduction, key to Nearctic genera of Ichneumoninae Stenopneusticae, and synopsis of the Protichneumonini north of Mexico — Gerd H. Heinrich
- No. 16 (mailed 11 January 1961): Needle-mining Lepidoptera of pine in North America — T. N. Freeman
- No. 17 (mailed 25 October 1961): The classification of the Papilionidae (Lepidoptera) — Eugene Munroe
- No. 18 (mailed 4 April 1961): Synopsis of Nearctic Ichneumoninae Stenopneusticae with particular reference to the northeastern region (Hymenoptera). II. Synopsis of the Ichneumonini: Genera *Orgichneumon*, *Cratichneumon*, *Homotherus*, *Aculichneumon*, *Spilichneumon* — Gerd H. Heinrich
- No. 19 (mailed 4 April 1961): Mathematical models for use in insect pest control — Kenneth E. F. Watt
- No. 20 (mailed 6 April 1961): Adult Elateridae of southern Alberta, Saskatchewan and Manitoba (Coleoptera) — A. R. Brooks
- No. 21 (mailed 13 September 1961): Synopsis of Nearctic Ichneumoninae Stenopneusticae with particular reference to the northeastern region (Hymenoptera). III Synopsis of the Ichneumonini: Genera *Ichneumon* and *Thyrateles* — Gerd H. Heinrich
- No. 22 (mailed 29 May 1961): Taxonomy and distribution of Nearctic *Vespula* — C. D. F. Miller
- No. 23 (mailed 21 December 1961): Synopsis of Nearctic Ichneumoninae Stenopneusticae with particular reference to the northeastern region (Hymenoptera). IV. Synopsis of the Ichneumonini: Genera *Chasmias*, *Neamblymorpha*, *Anisopygus*, *Limerodops*, *Eupalamus*, *Tricholabus*, *Pseudamblyteles*, *Eutanyacra*, *Ctenichneumon*, *Exephanes*, *Ectopimorpha*, *Pseudoamblyteles* — Gerd H. Heinrich

- No. 24 (mailed 27 December 1961): Synopsis of the North American Odontiinae, with descriptions of new genera and species (Lepidoptera: Pyralidae) — Eugene Munroe
- No. 25 (mailed 28 December 1961): A revision of the New World species of *Thalycra* Erichson, with a description of a new genus and notes on generic synonymy (Coleoptera: Nitidulidae) — Henry F. Howden
- No. 26 (mailed 19 February 1962): Synopsis of Nearctic Ichneumoninae Stenopneusticae with particular reference to the northeastern region (Hymenoptera). V. Synopsis of the Ichneumonini: Genera *Protopelmus*, *Patrocloides*, *Probolus*, *Stenichneumon*, *Aoplus*, *Limonethe*, *Hybophorellus*, *Rubicundiella*, *Melanichneumon*, *Stenobarichneumon*, *Platylabops*, *Hoplismenus*, *Hemihoplus*, *Trogomorpha* — Gerd H. Heinrich
- No. 27 (mailed 20 September 1962): Synopsis of Nearctic Ichneumoninae Stenopneusticae with particular reference to the northeastern region (Hymenoptera). VI. Synopsis of the Ichneumonini (genus *Plagiotrypes*), *Acanthojoppini*, *Listrodromini* and *Platylabini* — Gerd H. Heinrich
- No. 28 (mailed 6 November 1962): Larvae of the North American Tortricinae (Lepidoptera: Tortricidae) — Margaret Rae MacKay
- No. 29 (mailed 27 November 1962): Synopsis of Nearctic Ichneumoninae Stenopneusticae with particular reference to the northeastern region (Hymenoptera). VII. Synopsis of the Trogini addenda and corrigenda — Gerd H. Heinrich
- No. 30 (mailed 1 May 1963): A catalogue of the Nearctic Chalcidoidea (Insecta: Hymenoptera) — Oswald Peck
- NOTE: After Supplement No. 30, the series continued under the title of *Memoirs of the Entomological Society of Canada*.
- No. 31 (mailed 21 May 1963): The dynamics of epidemic spruce budworm populations — R. F. Morris, Editor
- No. 32 (mailed 4 June 1963): Population dynamics of agricultural and forest insect pests — E. J. LeRoux and others
- No. 33 (mailed 19 March 1964): Some neotropical genera resembling *Epicorsia* Hübner (Lepidoptera: Pyralidae) — Eugene Munroe
- No. 34 (mailed 1 April 1964): Keys to the Chalcidoidea of Czechoslovakia (Insecta: Hymenoptera) — Oswald Peck, Zdeněk Bouček and Augustin Hoffer
- No. 35 (mailed 14 May 1964): Synopsis of Nearctic Ichneumoninae Stenopneusticae with particular reference to the northeastern region (Hymenoptera). VIII. Addenda and corrigenda, host-parasite list and generic host index, index to ichneumonid names — Oswald Peck
- No. 36 (mailed 21 October 1964): The morphology, histology, and fine structure of the gut of the green peach aphid, *Myzus persicae* (Sulzer) (Homoptera: Aphididae) — A. R. Forbes
- No. 37 (mailed 23 October 1964): Insect lipids: A review — Paul G. Fast
- No. 38 (mailed 6 November 1964): Blood circulation in insect wings — John W. Arnold
- No. 39 (mailed 10 December 1964): The Geotrupinae of North and Central America — Henry F. Howden
- No. 40 (mailed 1 April 1965): The corn earworm complex — David F. Hardwick
- No. 41 (mailed 5 April 1965): The Phytoseiidae (Acarina) of Central America — D. A. Chant and E. W. Baker
- No. 42 (mailed 18 June 1965): The Muscidae of northern Canada, Alaska, and Greenland (Diptera) — Hugh C. Hockett
- No. 43 (mailed 23 June 1965): Recherches sur la biologie et la dynamique des populations naturelles d'*Archips argyropilus* (Wlk.) (Lépidoptères: Tortricidae) dans le sud-ouest du Québec — Rudolphe O. Paradis et E. J. LeRoux
- No. 44 (mailed 26 October 1965): The Callaphidini of Canada (Homoptera: Aphididae) — W. R. Richards
- No. 45 (mailed 7 December 1965): The functional response of predators to prey density and its role in mimicry and population regulation — C. S. Holling
- No. 46 (mailed 9 December 1965): The population dynamics of the winter moth in Nova Scotia, 1954-1962 — D. G. Embree
- No. 47 (mailed 29 December 1965): Taxonomic concepts in the Ascidae, with a modified setal nomenclature for the idiosoma of the Gamasina (Acarina: Mesostigmata) — Evert E. Lindquist and G. Owen Evans
- No. 48 (mailed 1 April 1966): The functional response of invertebrate predators to prey density — C. S. Holling

- No. 49 (mailed 16 May 1966): Revision of North American Species of *Udea* Guenée (Lepidoptera: Pyralidae) — Eugene Munroe
- No. 50 (mailed 15 September 1967): Guide to the Geometridae of Canada (Lepidoptera). I. Subfamily Sterrhinae — W. C. McGuffin
- No. 51 (mailed 15 September 1967): Aquatic and semiaquatic Heteroptera of Alberta, Saskatchewan, and Manitoba (Hemiptera) — Arthur R. Brooks and Leonard A. Kelton
- No. 52 (mailed 9 January 1968): A history of grasshopper abundance surveys and forecasts of outbreaks in Saskatchewan — Paul W. Riegert
- No. 53 (mailed 12 February 1968): Generic classification, evolution, and biogeography of the Sminthuridae of the World (Collembola) — W. R. Richards
- No. 54 (mailed 19 April 1968): A review of the Trichiinae of North and Central America (Coleoptera: Scarabaeidae) — Henry F. Howden
- No. 55 (mailed 3 July 1968): The *imbecillus* and *rufus* groups of the spider genus *Philodromus* in North America (Araneida: Thomisidae) — C. D. Dondale and J. H. Redner
- No. 56 (mailed 13 September 1968): The tachinids of Trinidad. VIII. Phorocerines — W. R. Thompson
- No. 57 (mailed 5 December 1968): A synopsis of the World fauna of *Myzocallis* (Homoptera: Aphididae) — W. R. Richards
- No. 58 (mailed 6 November 1968): The North American Aegeriidae (Lepidoptera): A revision based on late-instar larvae — Margaret Rae MacKay
- No. 59 (mailed 26 February 1969): The life histories, distribution, and immature forms of the North American sawflies of the genus *Cephalcia* (Hymenoptera: Pamphiliidae) — D. C. Eidt
- No. 60 (mailed 19 February 1969): Review of the Holarctic tarsonemid mites (Acarina: Prostigmata) parasitizing eggs of ipine bark beetles — Evert E. Lindquist
- No. 61 (mailed 17 April 1969): Contribution towards a monograph of the fleas of New Guinea — George P. Holland
- No. 62 (mailed 15 July 1969): A revision of the genera of the Syrphini (Diptera: Syrphidae) — J. R. Vockeroth
- No. 63 (mailed 21 June 1969): Larvae and pupae of some eastern North American Tabanidae (Diptera) — H. J. Teskey
- No. 64 (mailed 11 November 1969): The Agromyzidae of Canada and Alaska — Kenneth A. Spencer
- No. 65 (mailed 25 June 1970): A monograph of the Western Hemisphere bumblebees (Hymenoptera: Apidae: Bombinae): Bibliography — H. E. Milliron
- No. 66 (mailed 6 April 1970): Le genre *Rhyacophila* et la famille des Rhyacophilidae (Trichoptera) — F. Schmid
- No. 67 (mailed 24 March 1970): The genus *Euxoa* (Lepidoptera: Noctuidae) in North America. I. Subgenera *Orosagrotis*, *Longivesica*, *Chorizagrotis*, *Pleonectopoda*, and *Crassivesca* — David F. Hardwick
- No. 68 (mailed 26 March 1970): The Nearctic species of *Psigalio* and *Sympiesis* (Hymenoptera: Eulophidae) — Charles Douglas Miller
- No. 69 (mailed 31 March 1970): The *Prosimulium* of Canada and Alaska (Diptera: Simuliidae) — B. V. Peterson
- No. 70 (mailed 25 June 1970): Models for the development and survival of *Hyphantria cunea* in relation to temperature and humidity — R. F. Morris and W. C. Fulton
- No. 71 (mailed 16 October 1970): Taxonomy and distribution of the European corn borer and allied species: Genus *Ostrinia* (Lepidoptera: Pyralidae) — Akira Mutuura and Eugene Munroe
- No. 72 (mailed 27 July 1970): A catalogue of types of Coleoptera in the Canadian National Collection of Insects — Raymond de Ruette
- No. 73 (mailed 25 November 1970): A generic revision of the North American Heliothidinae (Lepidoptera: Noctuidae) — D. F. Hardwick
- No. 74 (mailed 25 November 1970): Revision of the subfamily Midilinae (Lepidoptera: Pyralidae) — Eugene Munroe
- No. 75 (mailed 19 April 1971): A revision of the Trogositidae of America north of Mexico (Coleoptera: Cleroidea) — J. R. Barron
- No. 76 (mailed 31 December 1970): Morphology and evolution of the insect thorax — Ryuichi Matsuda
- No. 77 (mailed 23 March 1971): The biology and dynamics of *Lithocolletis blancardella* (Lepidoptera: Gracillariidae) on apple in Quebec — R. P. Pottinger and E. J. LeRoux

- No. 78 (mailed 25 May 1971): Pest insects of annual crop plants in Canada. I. Lepidoptera. II. Diptera. III. Coleoptera — Bryan P. Beirne
- No. 79 (mailed 20 August 1971): Revision of the tribe Quediini of America north of Mexico (Coleoptera: Staphylinidae) — Aleš Smetana
- No. 80 (mailed 22 September 1971): A synopsis of the World fauna of the Saltusaphidinae, or sedge aphids (Homoptera: Aphididae) — W. R. Richards
- No. 81 (mailed 30 November 1971): A revision of the Alleculidae (Coleoptera) of the West Indies — J. M. Campbell
- No. 82 (mailed 3 December 1971): A monograph of the Western Hemisphere bumblebees (Hymenoptera: Apidae: Bombinae). I. The genera *Bombus* and *Megabombus* subgenus *Bombias* — H. E. Milliron
- No. 83 (mailed 3 December 1971): Review of *Lygocoris* species found in Canada and Alaska (Heteroptera: Miridae) — Leonard A. Kelton
- No. 84 (mailed 29 February 1972): A revision of the Nearctic Amaurobiidae (Arachnida: Araneida) — Robin Leech
- No. 85 (mailed 7 April 1972): Pest insects of annual crop plants in Canada. IV. Hemiptera-Homoptera. V. Orthoptera. VI. Other groups — Bryan P. Beirne
- No. 86 (mailed 21 September 1972): Guide to the Geometridae of Canada (Lepidoptera). II. Subfamily Ennominae, 1 — W. C. McGuffin
- No. 87 (mailed 21 September 1972): The Chaitophorinae of Canada (Homoptera: Aphididae) — W. R. Richards
- No. 88 (mailed 21 December 1972): Larval sketches of some Microlepidoptera, chiefly North American — Margaret Rae MacKay
- No. 89 (mailed 15 February 1972): A monograph of the Western Hemisphere bumblebees (Hymenoptera: Apidae: Bombinae). II. The genus *Megabombus* subgenus *Megabombus* — H. E. Milliron
- No. 90 (mailed 7 March 1973): A revision of the genus *Tachinus* (Coleoptera: Staphylinidae) of North and Central America — J. M. Campbell
- No. 91 (mailed 19 December 1973): A monograph of the Western Hemisphere bumblebees (Hymenoptera: Apidae: Bombinae). III. The genus *Pyrobombus* subgenus *Callumano-bombus* — H. E. Milliron
- No. 92 (mailed 23 April 1974): The systematics, phylogeny, and zoogeography of *Symmerus* Walker and *Australosymmerus* Freeman (Diptera: Mycetophilidae: Ditomyiinae) — Donald Douglas Munroe
- No. 93 (mailed 30 May 1974): Revision of the genus *Cymbiodyta* Bed. (Coleoptera: Hydrophilidae) — Aleš Smetana
- No. 94 (mailed 13 June 1975): The cephalic structures and spiracles of final-instar larvae of the subfamily Campopleginae, tribe Campoplegini (Hymenoptera: Ichneumonidae) — Thelma Finlayson
- No. 95 (mailed 18 July 1975): The lygus bugs (genus *Lygus* Hahn) of North America (Heteroptera: Miridae) — Leonard A. Kelton
- No. 96 (mailed 4 December 1975): Revision of the genera *Paraphlepsius* Baker and *Pendarus* Ball (Rhynchota: Homoptera: Cicadellidae) — K. G. A. Hamilton
- No. 97 (mailed 14 June 1976): Revisionary notes and keys to World genera of Scelionidae (Hymenoptera: Proctotrupoidea) — Lubomir Masner
- No. 98 (mailed 12 October 1976): A study of the systematics of the water mite family Pionidae (Prostigmata: Parasitengona) — Ian M. Smith
- No. 99 (mailed 6 October 1976): A revision of the genus *Sepedophilus* Gistel (Coleoptera: Staphylinidae) of America north of Mexico — J. M. Campbell
- No. 100 (mailed 6 December 1976): Diptera larvae associated with trees in North America — H. J. Teskey
- No. 101 (mailed 22 July 1977): Guide to the Geometridae of Canada (Lepidoptera). II. Subfamily Ennominae, 2 — W. C. McGuffin
- No. 102 (mailed 29 September 1977): A revision of the Nearctic species of *Orthocladus* (*Orthocladus*) van der Wulp (Diptera: Chironomidae) — Annette R. Sponis
- No. 103 (mailed 3 November 1977): A revised classification of the Piophilidae, including 'Neottiophilidae' and 'Thyreophoridae' (Diptera: Schizophora) — J. F. McAlpine
- No. 104 (mailed 19 April 1978): Feeding and mating in the insectivorous Ceratopogoninae (Diptera) — J. A. Downes
- No. 105 (mailed 3 April 1978): Revision of the subfamily Sphaeridiinae of America north of Mexico (Coleoptera: Hydrophilidae) — Aleš Smetana

- No. 106 (mailed 19 April 1978): A revision of the North American Omaliinae (Coleoptera: Staphylinidae). 1. The genera *Haida* Keen, *Pseudohaida* Hatch, and *Eudectoides* new genus. 2. the tribe Coryphiini — J. M. Campbell.
- No. 107 (mailed 31 May 1979): The Nepticulidae (Lepidoptera) of Canada — Christopher Wilkinson and J. M. Scoble. 129 pp.
- No. 108 (mailed 12 April 1979): Canada and its insect fauna — H. V. Danks, Editor. 573 pp.
- No. 109 (mailed 25 September 1979): A revision of the genus *Tachyporus* Gravenhorst (Coleoptera: Staphylinidae) of North and Central America — J. M. Campbell. 95 pp.
- No. 110 (issued 20 February 1980): Spruce budworm (Lepidoptera: Tortricidae) moth flight and dispersal: New understanding from canopy observations, radar, and aircraft — D. O. Greenbank, G. W. Schaefer, and R. C. Rainey, F.R.S. 49 pp.
- No. 111 (issued 16 July 1980): Revision of the genus *Hydrochara* Berth. (Coleoptera: Hydrophilidae) — Aleš Smetana. 100 pp.
- No. 112 (issued 16 July 1980): A revision of the systematics of *Acalymma sensu stricto* Barber (Coleoptera: Chrysomelidae) from North America including Mexico — D. D. Munroe and Ray F. Smith.
- No. 113 (issued 18 June 1980): Key to the genera of Scelionidae of the Holarctic Region, with descriptions of new genera and species (Hymenoptera: Proctotrupoidea) — Lubomir Masner. 54 pp.
- No. 114 (issued 17 September 1980): A revision of the genus *Macrophya* Dahlbom (Hymenoptera: Symphyta, Tenthredinidae) of North America — Gary A. P. Gibson. 167 pp.
- No. 115 (issued 3 June 1981): The polyphyletic nature of *Apanteles* Foerster (Hymenoptera: Braconidae): A phylogeny and reclassification of Microgastrinae — W. R. M. Mason. 147 pp.
- No. 116 (issued 24 August 1981): Revision des Trichoptères Canadiens. 1. La famille des Rhyacophilidae (Annulipalpia) — F. Schmid. 83 pp.
- No. 117 (issued 25 September 1981): Guide to the Geometridae of Canada (Lepidoptera). II Subfamily Ennominae. 3 — W. C. McGuffin. 153 pp.
- No. 118 (issued 24 November 1981): Taxonomic monograph of the genus *Pityophthorus* Eichhoff in North and Central America (Coleoptera: Scolytidae) — D. E. Bright. 380 pp.
- No. 119 (issued 30 March 1982): A revision of the genus *Lordithon* Thomson of North and Central America (Coleoptera: Staphylinidae) — J. M. Campbell. 116 pp.
- No. 120 (issued 14 June 1982): Revision of the subfamily Xantholininae of America north of Mexico (Coleoptera: Staphylinidae) — Aleš Smetana. 389 pp.
- No. 121 (issued 22 August 1982): La famille des Xiphocentronides (Trichoptera: Annulipalpia) — F. Schmid. 127 pp.
- No. 122 (issued 22 August 1982): Revision des Trichoptères Canadiens. II. Les Glossosomatidae et Philopotamidae (Annulipalpia) — F. Schmid. 76 pp.
- No. 123 (issued 9 June 1983): Revision of the Macropsini and Neopsini of the New-World (Rhynchota: Homoptera: Cicadellidae), with notes on intersex morphology — K. G. A. Hamilton. 223 pp.
- No. 124 (issued 15 September 1983): Classification of final-instar larvae of the Ichneumonidae (Hymenoptera: Ichneumonidae) — David R. Gillespie and Thelma Finlayson. 81 pp.
- No. 125 (issued 24 November 1983): Révision des Trichoptères canadiens. III. Les Hyalopsychidae, Psychomyiidae, Goeridae, Brachycentridae, Sericostomatidae, Helicopsychidae, Beraeidae, Odontoceridae, Calamoceratidae et Molannidae — F. Schmid. 116 pp.
- No. 126 (issued 28 December 1983): A catalogue of the eggs of some Canadian Geometridae (Lepidoptera), with comments — E. H. Salkeld. 262 pp.
- No. 127 (issued 24 April 1984): A catalogue of the eggs of some Canadian Noctuidae (Lepidoptera) — E. H. Salkeld. 167 pp.
- No. 128 (issued 24 April 1984): The systematics and phylogeny of the *Stenochironomus* complex (*Xestochironomus*, *Harrisius*, and *Stenochironomus*) (Diptera: Chironomidae) — Art Borkent. 269 pp.
- No. 129 (issued 2 October 1984): A revision of the genus *Aleochara* Gravenhorst of America north of Mexico (Coleoptera: Staphylinidae, Aleocharinae) — Jan Klimaszewski. 211 pp.
- No. 130 (issued 31 December 1984): The fleas of Canada, Alaska and Greenland (Siphonaptera) — George P. Holland. 630 pp.



